


## CC cord clips

CC cord clips fastening element for cables and conductors, self-adhesive on many surfaces



Halogen-free



Assembly time

### Benefits

The special support is designed for the quick insertion and removal of one or more cables without compromising the cable insulation

Special mounting preparations are no longer necessary

### Application range

Fastening elements for cables and conductors

Nylon dual-adhesive clips

Excellent for laying several cables in parallel

Suitable for cables up to an outer diameter of 14,5 mm

### Norm references / Approvals

Self-extinguishing in accordance with  
UL 94 V-2 (without adhesive tape)

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC000127

ETIM 5.0 Class-Description: Fixing clip

Classification ETIM 6:

ETIM 6.0 Class-ID: EC000127

ETIM 6.0 Class-Description: Saddle

General:

Self-adhesive on many surfaces

On request:

Upon request: Black colour

Colour delivered:

Natural colour

Material:

Polyamide 6.6

Temperature range:

-40°C to +85°C

Last Update (12.05.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## CC cord clips

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

## CC cord clips

| Article number | Article description | Max. bundle Ø (mm) | Socket area x height (mm) | Pieces / PU |
|----------------|---------------------|--------------------|---------------------------|-------------|
| 61723810       | CC 5                | 4.5                | 19 / 19 x 10              | 100         |
| 61723820       | CC 11               | 8.5                | 26.0 / 26.0 x 12.0        | 100         |
| 61723840       | CC 21               | 14.5               | 26.0 / 26.0 x 16.0        | 100         |