

## EPIC® DATA PB M12

Field mountable M12 BUS-connectors, shielded for PROFIBUS

M12 field attachable fieldbus connector for PROFIBUS, b-coded, screened, high protection class (IP67)



Supplementary automation components from Lapp



Robust

### Benefits

Quick and easy on-site assembly  
 For creating of individual cable lengths  
 Cost efficient and rational wiring for BUS installations  
 Space-saving due to compact dimensions.

### Product features

Screened version  
 Connector M12, B-coded  
 PG9- / PG11-thread  
 Screw connection

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC002062

ETIM 5.0 Class-Description: Sensor-actuator connector

Classification ETIM 6:

ETIM 6.0 Class-ID: EC002062

ETIM 6.0 Class-Description: Sensor-actuator connector

Material:

Contact: CuSn

Contact surface: Au

Contact carrier: PA66

Sealing: NBR

Knurl: Nickel-plated brass

Gripping body: Zinc die-cast, nickel-plated

Protection rating:

IP 67

Last Update (28.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## EPIC® DATA PB M12

Ambient temperature (operation):	Plug/socket -40°C to +85°C
Coding:	B - inverse (PROFIBUS)
Rated current (A):	4 A

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

**EPIC® DATA PB M12**

Article number	Article designation	Number of pins	Conductor cross-section (mm <sup>2</sup> )	Cable diameter in mm	Rated voltage (V)	PU
Plug, straight						
22260653	AB-C5-M12MSB-PG9-SH-AU	5	0.25 - 0.75	6 - 8.5	60	1
22262078	AB-C5-M12MSB-PG11-SH-AU	5	0.25 - 0.75	8 - 10	60	1
Socket, straight						
22260646	AB-C5-M12FSB-PG9-SH-AU	5	0.25 - 0.75	6 - 8.5	60	1
22260889	AB-C5-M12FSB-PG11-SH-AU	5	0.25 - 0.75	8 - 10	60	1

Last Update (28.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03\_16