

Circular connectors for Servo Cables and encoders

EPIC®M23 panel base for front wall assembly

### Info

Coulour coding for easy connecting Made in Germany











Mechanical and plant engineering



Wind Energy



Good chemical resistance



Robust



Interference signals



Waterproof



Variety of approval certifications

### **Benefits**

Safe fixing with 4 screws Permanent vibration protection

Last Update (31.12.2023)
©2023 Lapp Group - Technical changes reserved
Product Management www.lappkabel.de
You can find the current technical data in the corresponding data sheet.
PN 0456 / 02\_03.16



### **Application range**

Plant engineering Servo drives and servo assemblies Measurement and control technology

#### **Product features**

Mounting: Ø2.7mm for screws M2.5. Ø3.2mm for screws M3

**Technical Data** 

Classification ETIM 5: ETIM 5.0 Class-ID: EC000437

ETIM 5.0 Class-Description: Housing for industrial connectors

Classification ETIM 6: ETIM 6.0 Class-ID: EC000437

ETIM 6.0 Class-Description: Housing for industrial connectors

Material: Housing: nickel-plated zinc die-casting

Sealing: FPM

Protection rating: IP68 (10h/1m)

VDE-tested: Certified production control: VDE-REG. no. C24 (according to EN

61984, SELV according to DIN VDE 0100-410 has to be

quaranteed)

UL File Number: E249137

Temperature range: -25°C up to +125°C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

#### Coding Pieces / PU Article number Article Fastening type Type M23 A1 panel-mount box, front wall mounting black (N) Ø 2.7 mm (4x) 5 72004000 M23 A1 20 72004010 M23 A1 black (N) Ø 2.7 mm (4x) 5 72004200 M23 A1 red (+20°) Ø 2.7 mm (4x) red (+20°) Ø 2.7 mm (4x) 20 72004210 M23 A1 5 Ø 2.7 mm (4x) 72004100 M23 A1 blue (-20°) blue (-20°) Ø 2.7 mm (4x) 20 72004110 M23 A1



