

## FLEXIMARK® Flexilabel TFL

FLEXIMARK® Flexilabel TFL are blank label rolls for marking cables with character holders or for installation. Text can be printed on the labels using our marking software with a thermal transfer printer.



Good chemical resistance



Halogen-free



UV-resistant

### Benefits

Suitable labels for PTE, PTEF and CAB character holders (see chapter "Character holders and accessories")  
 Suitable for IP20 - IP40 Environments like public buildings such as schools, offices, hospital and malls

### Application range

Installation labels  
 For cable marking

### Note

Easy to print via FLEXIMARK® software Flexisoft and FLEXIMARK® thermal transfer printer SQUIX, EOS5 or EOS2

### Included

Delivered as a roll of labels

### Technical Data

Classification ETIM 5:

ETIM 5.0 Class-ID: EC001288  
 ETIM 5.0 Class-Description: Labelling material

Classification ETIM 6:

ETIM 6.0 Class-ID: EC001288  
 ETIM 6.0 Class-Description: Labelling material

Colour delivered:

White or yellow  
 Upon request: Yellow, green, blue, red, brown, black

Material:

Halogen-free polyester  
 Polypropylene laminate

Last Update (24.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## FLEXIMARK® Flexilabel TFL

Temperature range: -20°C to +80°C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

FLEXIMARK® products are sold in packaging units. As example if you like to order 640 labels of LCK 32 you just need to order 1 PU instead of 640 single labels.

**FLEXIMARK® Flexilabel TFL**

Article number	Article designation	Colour	Width x length (mm)	Markers / PU	PU
83254605	FLEXIMARK® Flexilabel TFL 9.5-28 YE	yellow	9.5 x 28.0	1000	1
83254610	FLEXIMARK® Flexilabel TFL 9,5-35 YE	yellow	9.5 x 35.0	1000	1

Last Update (24.04.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03\_16